

TA Triumph-Adler

The Document Business
CONSULTING REALISATION EFFICIENCY

CLP 4621 | 4626

Print

CLP 4621
CLP 4626



Colour printer

TA Triumph-Adler

The Document Business

CONSULTING REALISATION EFFICIENCY

Truly brilliant presentation.

Opt for the new generation of colour printers! The CLP 4621 and CLP 4626 colour printers deliver brilliant output for your presentations, proposals, handouts and creative illustrations – quickly, efficiently and with captivating colour quality thanks to an innovative toner technology that not only ensures a finer resolution but also offers a broader colour spectrum. Consequently these printers have a longer-than-average service life and are highly cost-effective. And to round things off, the CLP 4621 and CLP 4626 can handle various special materials, including paper weights of up to 220 g/m², coated paper or labels!

Showing off what they got.

The compact CLP 4621 and CLP 4626 do not need much space, but they can certainly deliver. With a short waiting time for printing the first page, fast printing at 21 or 26 A4 pages per minute and high duplex productivity, they are extremely efficient and can manage even high-volume jobs in an instant. This is largely owing to 256 MB of memory that can be expanded to 1,280 MB and the option of three additional paper cassettes to offer a total capacity of some 2,150 sheets. And because technology never fails to impress, the CLP 4621 and CLP 4626 feature new, highly effective calibration, a USB direct print functionality,

CLP 4621 | 4626



a function for optimising the colour register setting, a user-friendly display and options for adjusting the colour to suit your personal needs. In short: modern printing that is both innovative and economic!

CLP 4621 CLP 4626

Well equipped:

- Perfect image quality thanks to especially fine toner
- Top speed of 21 or 26 A4 pages per minute in colour and b/w
- Very short waiting time for the first page in colour: 12 seconds (CLP 4621) or 11.5 seconds (CLP 4626)
- Warm-up time of only 44 seconds (CLP 4621) or 36 seconds (CLP 4626)
- Up to 1,280 MB of memory*
- Sheet capacity expandable to 2,150 sheets*
- Standard duplex unit for double-sided printing
- USB direct print function as standard
- Printing of special materials and paper weights of up to 220 g/m² using up to three additional paper cassettes*

Standard features:

CLP 4621/4626 with 500 sheet universal cassette, duplex unit

- 1** Up to three additional paper cassettes* each with a capacity of 500 sheets, available either as a universal cassette for standard media or as a multi-purpose cassette for special materials
- 2** Cabinet**
- 3** Hard disk* for higher productivity when processing large print runs, use of extensive job memory functions



CLP 4621 | 4626

*option

**option, no illustration



Technical Data

General

Type	Desktop
Function	Print
Print technology	Laser colour and b/w
Print format	A4-A6R, max 216 x 356 mm, min 70 x 138 mm
Print speed	CLP 4621: max 21 A4 pages/min in colour and b/w, duplex: max 11 A4 pages/min in colour and b/w CLP 4626: max 26 A4 pages/min in colour and b/w, duplex: max 26 A4 pages/min in colour and b/w
1st page/warm-up time	CLP 4621: colour: approx. 12 seconds*, b/w: approx. 10.5 seconds* CLP 4626: colour: approx. 11.5 seconds*, b/w: approx. 10 seconds* CLP 4621: approx. 44 seconds, CLP 4626: approx. 36 seconds
Print resolution	600 x 600 dpi, max 9,600 dpi level x 600 dpi
Paper feed	1 x 500 sheet universal cassette (A4-A6R), 150 sheet multi-bypass (A4-A6R)
Paper weights	Universal cassette 60-120 g/m ² , multi-bypass 60-220 g/m ² , duplex 60-120 g/m ²
Paper output	250 sheet A4
Processor	CLP 4621: PowerPC440/533 MHz, CLP 4626: PowerPC440/667 MHz
Print memory	256 MB RAM (max 1,280 MB RAM – 1 slot)
Interface	USB 2.0, 10/100BaseTX, USB host (for Memory Stick), CF slot
Network protocols	TCP/IP, IPX/SPX, Net BEUI, EtherTalk
Operating systems	Windows 2000, XP, Server 2003, Vista, Novell NetWare, Linux, Mac ex OS 10.X
Emulations	PCL6, KPD L 3 (PostScript 3 compatible), PRESCRIBE IIc
Functions	Duplex, barcode printing, private printing, management codes, direct printing from USB host, network data encryption (SSL)

Dimensions/weight

Dimensions	480 x 345 x 518 mm (H x W x D)
Weight	CLP 4621: approx. 29 kg, CLP 4626: approx. 29.5 kg

*Depending on operating status.

Environment

Mains voltage	220/240 V, 50/60 Hz
Power consumption	CLP 4621: approx. 1,065 W max, approx. 420 W in operation, approx. 70 W in stand-by mode, approx. 7 W in sleep mode, 0 W in off mode CLP 4626: approx. 1,071 W max, approx. 477 W in operation, approx. 79 W in stand-by mode, approx. 7 W in sleep mode, 0 W in off mode
Noise level	approx. 53 dB(A) in operation, approx. 36 dB(A) in stand-by mode (ISO 7779/9296) approx. 66 dB(A) in operation, approx. 46.8 dB(A) in stand-by mode (Blue Angel Mark test method)
Safety	GS/TÜV, CE

Consumables

Toner kit	CLP 4621: Toner kit black for 7,000 A4 pages according to ISO/IEC 19798, starter kit black for 3,500 A4 pages according to ISO/IEC 19798, Toner kit cyan, magenta, yellow, each for 6,000 A4 pages according to ISO/IEC 19798, starter kit cyan, magenta, yellow, each for 3,000 A4 pages according to ISO/IEC 19798 CLP 4626: Toner kit black for 12,000 A4 pages according to ISO/IEC 19798, starter kit black for 6,000 A4 pages according to ISO/IEC 19798, Toner kit cyan, magenta, yellow, each for 10,000 A4 pages according to ISO/IEC 19798, starter kit cyan, magenta, yellow, each for 5,000 A4 pages according to ISO/IEC 19798
-----------	--

Options

Paper feed	max 3 x PF-500 (500 sheet universal cassette (A4-A5R)) or 3 x PF-510 (500 sheet multi-purpose cassette (A4-A5R) for thick paper (max 220 g/m ²), labels and coated paper)
Other options	HD-5A hard disk (40 GB, only for CLP 3626), Cabinet no. 55

The CLP 4621 and the CLP 4626 are manufactured in accordance with the requirements of the ENERGY STAR Program.

Specifications subject to change without notice.

Image shows machine with optional accessories.

At TA Triumph-Adler we have set ourselves the aim of making the everyday processing of documents as efficient as possible for you. The technical perfection of our products combined with preliminary consultation and finally on-site aftersales support guarantee you the problemfree, productive operation of our equipment. Thanks to this range of service we are able to offer you the best possible solutions.

TA Triumph-Adler and the TA Triumph-Adler Logo are registered trademarks of TA Triumph-Adler AG. All other brand names are registered trademarks of their respective owners.

TA Triumph-Adler