

TA Triumph-Adler

The Document Business

CONSULTING REALISATION EFFICIENCY

DCC 2725

Copy

Print

Scan

Fax

DCC 2725



**Digital Multifunctional
Colour System**

TA Triumph-Adler

The Document Business

CONSULTING REALISATION EFFICIENCY

This is how a new generation presents itself!

Produce your documents with the innovative DCC 2725 multifunctional colour system – and the results will speak for themselves. Thanks to its new toner technology and a warm up time of just 8.1 seconds for the first page in colour and 6.2 seconds for black/white, you will have any colour document on your desk, from A6R to A3, in no time at all and in absolutely brilliant quality. This eases your workload, particularly as its performance is especially durable, reliable and economical and it looks good too with its new elegant anthracite design!

Here, innovative technology is setting the tone!

Using an optimised toner control, the DCC 2725 prints text and lines with precision and provides an expanded colour range for image reproduction. In conjunction with the trapping function (to avoid white gaps) and innovative development engineering, the DCC 2725 achieves only the best in optical performance. With a vertical paper feed and 25 colour pages per minute, an optional document processor for simultaneous duplex scanning, further optimised area segmentation of text and graphics, and the creation of compressed PDF files, to reduce the data volume, the DCC 2725 gives an efficient and productive performance. All of this is complemented by additional features such as extensive security settings, SynControl technology for parallel production steps, the extremely user-friendly

DCC 2725



colour display and flexible operation using the USB direct print and scan to USB features. To sum it up: Pure perfection!

Better – point for point:

- Accelerated printing and copying of 25 A4 pages per minute in colour and b/w
- Large colour display for maximum ease of use
- High quality with innovative toner technology
- Simultaneous duplex scanning*
- Compressed and encrypted PDF files are generated when scanning
- Extensive security features
- All functions are optimally synchronised using SynControl technology

Standard features:

DCC 2725 with 2 x 500 sheet universal cassettes, duplex unit and 80 GB hard disk



- 1** Original cover* or original paper feeder*
- 2** Optional 2 x 500 sheet universal cassettes*, 3,000 sheet large capacity cassette* or cabinet*
- 3** Job separator*
- 4** 1,000 or 3,000 sheet finisher*, staples up to 50 sheet
- 5** Brochure module* for the 3,000 sheet finisher
- 6** Hole punch unit* for the 3,000 sheet finisher
- 7** Multi tray* for the 3,000 sheet finisher (no illustration)
- 8** Fax system (S)*, additionally Internet Fax Kit (A)*
- 9** Printed Document Guard Kit (A)*
- 10** Data Security Kit (E)*



*option

DCC 2725

TA Triumph-Adler

The Document Business

CONSULTING REALISATION EFFICIENCY

DCC 2725



Technical data

General

| | |
|-----------------------|--|
| Type | Desktop |
| Function | Copy, print, scan, optional: fax |
| Print technology | Laser colour and b/w |
| Original format | max A3 from platen glass |
| Copy/print speed | max 25 A4 pages/min and max 13 A3 pages/min in colour and b/w |
| 1st copy/warm-up time | Colour: 8.1 seconds*, b/w: 6.2 seconds*/30 seconds |
| Copy resolution | 600 x 600 dpi |
| Greyscales | 256 |
| Paper feed | 2 x 500 sheet universal cassettes (A3-A5R), 100 sheet multi-bypass (A3-A6R) |
| Paper weights | Universal cassette 60-163 g/m ² , multi-bypass 60-220 g/m ² , duplex 60-163 g/m ² |
| Paper output | 250 sheet A4 |
| System memory | 2,048 MB RAM, 80 GB HDD** |
| Continuous copying | 1-999 copies |
| Zoom | 25 %-400 % in steps of 1 % |
| Functions | Adjustable touch screen, duplex, 1,000 management codes, multi tasking controller, direct printing from USB stick, colour optimizer for printing, 50 job programs for copy, scan, fax, etc. |

Dimensions/weight

| | |
|------------|--------------------------------|
| Dimensions | 745 x 605 x 680 mm (H x W x D) |
| Weight | approx. 106 kg |

Environment

| | |
|-------------------|--|
| Mains voltage | 220/240 V, 50 Hz |
| Power consumption | approx. 860 W in operation, approx. 160 W in stand-by mode, approx. 16 W in sleep mode |
| Noise level | approx. 65.5 dB(A) in operation, approx. 56.9 dB(A) in stand-by mode (ISO 7779/9296) approx. 66.4 dB(A) in operation, approx. 38.5 dB(A) in stand-by mode (Blue Angel Mark test method) |
| Safety | GS/TÜV, CE |

The DCC 2725 is manufactured in accordance with the requirements of the ENERGY STAR Program.

At TA Triumph-Adler we have set ourselves the aim of making the everyday processing of documents as efficient as possible for you. The technical perfection of our products combined with preliminary consultation and finally on-site aftersales support guarantee you the problemfree, productive operation of our equipment. Thanks to this range of service we are able to offer you the best possible solutions.

Print system

| | |
|-------------------|--|
| Type | Integrated within the system |
| Print format | A3-A6R |
| Print resolution | 600 x 600 dpi, max 9,600 dpi level x 600 dpi |
| Processor | PowerPC 750FL/600 MHz |
| Interface | USB 2.0, 10/100 BaseTX, USB host, CF slot |
| Network protocols | TCP/IP, IPX/SPX, Net BEUI, EtherTalk |
| Operating systems | Windows 2000, XP, Vista, Windows 7, Server 2003/2008, Novell NetWare, Linux, Max ex OS 10.5 |
| Emulations | PCL6, KPDL 3 (PostScript 3 compatible), XPS, PRESCRIBE IIc |
| Functions | Duplex, PDF direct printing, printing of e-mails, private printing, barcode printing |

Scan system

| | |
|-------------------|--|
| Scan type | CCD colour and b/w |
| Scan format | max A3 |
| Scan speed | Colour and b/w: max 50/60 (simplex/duplex) A4 originals/min in 300 dpi with DP-760 |
| Scan resolution | 200 dpi, 300 dpi, 400 dpi, 600 dpi |
| Scan mode | Photo, text, photo/text, OCR |
| File types | TIFF, PDF, JPEG, high compression PDF and encrypted PDF |
| Interface | 10/100BaseTX |
| Network protocol | TCP/IP |
| Operating systems | Windows 2000, XP, Server 2003/2008, Vista, Linux, Max ex OS 10.X |
| Functions | Scan to SMB, scan to e-mail, scan to FTP, TWAIN scan (Windows 2000, XP, Vista only), WIA scan (Windows Vista), SMTP authentication, LDAP, PDF compression and encryption |

SynControl centrally controls and synchronises all functions (copying, printing, scanning and faxing) and enables the parallel processing of data.

TA Triumph-Adler and the TA Triumph-Adler Logo are registered trademarks of TA Triumph-Adler AG. All other brand names are registered trademarks or their respective owners.

TA Triumph-Adler

Optional fax system (S)

| | |
|--------------------|--|
| Compatibility | Super G3 |
| Original format | max A3 |
| Modem speed | 33.6 kbps |
| Transmission speed | 3 seconds or less using JBIG |
| Compression method | JBIG, MMR, MR, MH |
| Fax resolution | Standard (200 x 100 dpi), fine (200 x 200 dpi), ultra fine (400 x 400 dpi), 600 x 600 dpi |
| Fax memory | 12 MB, max 120 MB |
| Operating systems | Windows 2000, XP, Vista, Windows 7, Server 2003/2008 |
| Functions | Network fax driver, automatic redialling, delayed transmission |

Options

| | |
|-----------------|---|
| Original feeder | DP-750 document processor with automatic reverse (A3-A5R, paper weight 45-160 g/m ²), DP-760 document processor with simultaneous duplex scanning (A3-A5R, paper weight 45-160 g/m ²) |
| Platen cover | Platen cover type E (if document processor is not installed) |
| Finisher | DF-780 (capacity: 1,000 sheet A4, stapling max 50 sheet A4), DF-760 (capacity: 3,000 sheet A4, stapling max 50 sheet A4), PH-5C hole punch unit for DF-760, BF-720 brochure module for DF-760 (max 16 sheet saddle stitching and folding A3/A4/B4), MT-720 multi tray for DF-760 |
| Job separator | JS-720 (capacity: 100 sheet A4) |
| Paper feed | PF-720 (2 x 500 sheet universal cassettes (A3-A5R)), PF-760 (3,000 sheet large capacity cassette (A4/B5)) |
| Other options | Data security kit (E), Internet fax kit (A), Printed document guard kit (A), DT-710 document tray, cabinet no. 56 |

*Depending on operating status.

**For copy, print, scan and fax

Specifications subject to change without notice.

Image shows machine with optional accessories.

